

## ORIGINAL ARTICLE

# Version 1.1 of the international spinal cord injury skin and thermoregulation function basic data set

F Biering-Sørensen<sup>1</sup>, MS Alexander<sup>2,3,4</sup>, FWA van Asbeck<sup>5,6</sup>, W Donovan<sup>7</sup>, A Krassioukov<sup>8,9,10,11</sup> and MWM Post<sup>12,13,14</sup>

**Objective:** To describe the changes made to the international spinal cord injury (SCI) skin and thermoregulation function basic data set in version 1.1.

**Setting:** International.

**Methods:** An international working group reviewed suggested changes to the international SCI skin and thermoregulation function basic data set version 1.0. These changes were discussed and the agreed changes were made. Subsequently, the recommended adjustments were circulated for review to the International Spinal Cord Society (ISCoS) Executive and Scientific Committees, the American Spinal Injury Association (ASIA) Board, around 40 national and international societies, and to interested individuals who had signed up wishing to have the opportunity to review. In addition, the suggested changes were displayed at the ISCoS and ASIA websites for at least a month for possible comments.

**Results:** The recommendation 'largest diameter, including undermining' is changed to: 'Largest undermining', and a description of how to measure this is inserted. The 'smallest opening diameter' is changed to: 'Width' as the maximum dimension perpendicular to the length axis. In the literature, there is a tendency to replace 'grades' or 'stages' with 'categories'; therefore, the word 'category' is used instead of 'grade' or 'stage'.

**Conclusions:** Impracticable measurements have been adjusted and new terminology adopted. All are to be found on ISCoS website: <http://www.iscos.org.uk/international-sci-skin-and-thermoregulation-function-data-sets>.

*Spinal Cord* (2017) **55**, 566–569; doi:10.1038/sc.2016.188; published online 17 January 2017

## INTRODUCTION

The objective of this paper is to inform the spinal cord injury (SCI) community about the changes made to the international SCI skin and thermoregulation function basic data set in its version 1.1.

After clinical use of the data set, practical challenges regarding the recommendations for measuring the size of the pressure ulcer became clear, and these have been addressed.

The changes are carried out on the basis of previously published version 1.0.<sup>1</sup> All are available on the ISCoS website: <http://www.iscos.org.uk/international-sci-skin-and-thermoregulation-function-data-sets>.

## MATERIALS AND METHODS

An international working group discussed incoming suggestions for modification of the international SCI skin and thermoregulation function basic data set version 1.0,<sup>1</sup> and based on these discussions, changes were suggested.

The suggested adjustments were circulated for review in/among:

- (1) The International Spinal Cord Society (ISCoS) Executive and Scientific Committees.
- (2) The American Spinal Injury Association (ASIA) Board.
- (3) Around 40 national and international societies.
- (4) Interested individuals who had signed up wishing to have the opportunity to review.

In addition, the suggested changes were displayed at ISCoS and ASIA websites for at least a month for possible comments.

## RESULTS

Based upon clinical use, the primary recommended change to the data set was the need for clarification of the recommendations for measuring the size of the pressure ulcer.

The recommendation 'largest diameter, including undermining' was an impracticable measurement as it adds the largest undermining to a certain diameter of the surface. Therefore, it was decided to use the definition for undermining measurement as recommended by the

<sup>1</sup>Clinic for Spinal Cord Injuries, Rigshospitalet, University of Copenhagen, Copenhagen, Denmark; <sup>2</sup>Birmingham VA Medical Center, Birmingham, AL, USA; <sup>3</sup>Department of Physical Medicine and Rehabilitation, University of Alabama at Birmingham School of Medicine, Birmingham, AL, USA; <sup>4</sup>Department of Physical Medicine and Rehabilitation, Harvard School of Medicine, Boston, MA, USA; <sup>5</sup>Center of Excellence in Rehabilitation Medicine, Brain Center Rudolf Magnus, University Medical Center Utrecht, Utrecht, The Netherlands; <sup>6</sup>Hoogstraat Rehabilitation, Utrecht, The Netherlands; <sup>7</sup>ASIA and ISCoS, Houston, TX, USA; <sup>8</sup>Department of Medicine, Division of Physical Medicine and Rehabilitation, University of British Columbia, Vancouver, British Columbia, Canada; <sup>9</sup>Autonomic Research Unit, International Collaboration On Repair Discoveries (ICORD), Vancouver, British Columbia, Canada; <sup>10</sup>Spinal Cord Program, GF Strong Rehabilitation Centre, University of British Columbia, Vancouver, British Columbia, Canada; <sup>11</sup>University of Western Ontario, London, Ontario, Canada; <sup>12</sup>Center of Excellence in Rehabilitation Medicine, Brain Center Rudolf Magnus, University Medical Center Utrecht, Utrecht, The Netherlands; <sup>13</sup>De Hoogstraat Rehabilitation, Utrecht, The Netherlands and <sup>14</sup>Department of Rehabilitation Medicine, University of Groningen, University Medical Center Groningen, Groningen, The Netherlands

Correspondence: Professor F Biering-Sørensen, Clinic for Spinal Cord Injuries, Rigshospitalet, University of Copenhagen, Blegdamsvej 9, DK-2100 Copenhagen, Denmark.  
E-mail: [fin.biering-soerensen@regionh.dk](mailto:fin.biering-soerensen@regionh.dk)

Received 14 November 2016; revised 28 November 2016; accepted 3 December 2016; published online 17 January 2017

latest update of the Consortium for Spinal Cord Medicine<sup>2</sup> (p. 32): '[...] where there is undermining or tunnelling, a measuring tool such as a swab should be inserted into the undermined area or tunnel to indicate its full extent with a visible ruler on top of the skin paralleling that swab located in the undermined or tunnelled area to reflect the exact measurement'. As a consequence, the wording is changed to: 'Largest undermining', and a description of how to measure this is inserted.

The 'smallest opening diameter' had impracticable and confusing wording. Therefore, it was decided to use the definition for width measurement as recommended in the updated Consortium for Spinal Cord Medicine<sup>2</sup> (p. 31): 'Length should be along the longest dimension of the wound and width is the maximum dimension perpendicular to the length axis'. As a consequence, the wording is changed to: 'Width' as the maximum dimension perpendicular to the length axis.

In the literature, there is a tendency to replace 'grades' or 'stages' with 'categories' because grades and stages suggest that the one follows the other, which is not always the case. The Consortium for Spinal Cord Medicine<sup>2</sup> (pp. 7–9) has stated: 'Pressure ulcers are described by a category/staging system based on the extent of anatomical tissue loss.' This is supported by the updated National Pressure Ulcer Advisory Panel<sup>3</sup> (pp. 12–13). As a consequence, the word 'category' is used instead of 'grade' or 'stage'.

Finally, 'Unstageable' was changed to 'Unstageable/Unclassified' to make the term more inclusive.

The complete data collection form for the international SCI skin and thermoregulation function basic data set version 1.1 is included as Appendix 1, and can also be found at the ISCoS website:

<http://www.iscos.org.uk/international-sci-skin-and-thermoregulation-function-data-sets>.

## DISCUSSION

The international SCI skin and thermoregulation function basic data set has been updated to version 1.1 to change impractical measurement recommendations for wounds and to provide consistency of wording with the international literature. Ongoing changes to this and other international SCI data sets will be made as updated information becomes available in line with the structure laid down for the international SCI data sets.<sup>4</sup>

## DATA ARCHIVING

There were no data to deposit.

## CONFLICT OF INTEREST

The authors declare no conflict of interest.

- 1 Karlsson AK, Krassioukov A, Alexander MS, Donovan W, Biering-Sørensen F. International spinal cord injury skin and thermoregulation function basic data set. *Spinal Cord* 2012; **50**: 512–516.
- 2 Consortium for Spinal Cord Medicine. *Pressure Ulcer Prevention and Treatment Following Spinal Cord Injury: A Clinical Practice Guideline for Health-Care Providers*, 2nd edn. Paralyzed Veterans of America, Washington DC, USA, 2014.
- 3 National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. *Prevention and Treatment of Pressure Ulcers: Quick Reference Guide*. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Western Australia, 2014.
- 4 Biering-Sørensen F, Charlifue S, DeVivo M, Noonan V, Post M, Stripling T *et al*. International spinal cord injury data sets. *Spinal Cord* 2006; **44**: 530–534.

APPENDIX 1

INTERNATIONAL SPINAL CORD INJURY SKIN AND THERMOREGULATION  
FUNCTION BASIC DATA SET (Version 1.1)  
DATA COLLECTION FORM

Date of data collection: YYYYMMDD  Unknown

Thermoregulation history after spinal cord lesion within the last three months:

- |   |   |
|---|---|
| <input type="checkbox"/> Hyperthermia         | <input type="checkbox"/> Non infectious |
|   | <input type="checkbox"/> Infectious     |
|   | <input type="checkbox"/> Unknown        |
| <input type="checkbox"/> Hypothermia          | <input type="checkbox"/> Non infectious |
|   | <input type="checkbox"/> Infectious     |
|   | <input type="checkbox"/> Unknown        |
| <input type="checkbox"/> Hyperhidrosis        | <input type="checkbox"/> Above lesion   |
|   | <input type="checkbox"/> Below lesion   |
| <input type="checkbox"/> Hypohidrosis         | <input type="checkbox"/> Above lesion   |
|   | <input type="checkbox"/> Below lesion   |
| <input type="checkbox"/> Other, specify _____ |   |
| <input type="checkbox"/> None of the above    |   |
| <input type="checkbox"/> Unknown              |   |

Objective measures:

Time performed: \_\_\_\_\_ HHMM  Unknown

Temperature:

Method used:  Rectal  Ear  Oral  Axilla  Unknown

Temperature measured: \_\_\_\_\_ °C

Any pressure ulcer at present:  Yes  No  Unknown

If yes,

Fill in one diagram for each ulcer, by indicating the ulcer category (I, II, III, IV, U (Unstageable)) at the appropriate location.

	Right	Mid-line	Left	Length - largest opening diameter (mm)	Width - max. dimension perpendicular to the length axis (mm)	Largest undermining (mm)	Largest depth (mm)
Occiput							
Ear							
Scapula							
Elbow							
Ribs							
Spinous process							
Iliac crest							
Sacral							
Ischial tuberosity							
Trochanter							
Genitals							
Knee							
Malleolus							
Heel							
Foot							
Other location							

**Date of appearance of the pressure ulcer:** YYYYMMDD  Unknown

**Has the ulcer been surgically treated:**  Yes  No  Unknown  
 If yes, **date of last surgical intervention:** YYYYMMDD

**Any other pressure ulcer during the last 12 months:**  Yes  No  Unknown  
 If yes,  
 Fill in one diagram for each pressure ulcer, with tick of the location:

	Right	Mid-line	Left
Occiput			
Ear			
Scapula			
Elbow			
Ribs			
Spinous process			
Iliac crest			
Sacral			
Ischial tuberosity			
Trochanter			
Genitals			
Knee			
Malleolus			
Heel			
Foot			
Other location			

**Has the ulcer been surgically treated:**  Yes  No  Unknown  
 If yes, **date of last surgical intervention:** YYYYMMDD